PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



| INTERNATIONAL APPLICATION PUBLISH | HED (| INDER THE PATENT COOPERATION TREATY (PCT) |
|---|---|--|
| (51) International Patent Classification ⁶ : | | (11) International Publication Number: WO 99/29305 |
| A61K 9/22 | A1 | (43) International Publication Date: 17 June 1999 (17.06.99) |
| (21) International Application Number: PCT/US. (22) International Filing Date: 3 December 1998 (co. 1998) (30) Priority Data: 08/985,986 5 December 1997 (05.12.97) (71) Applicant: DURAMED PHARMACEUTICALS [US/US]; 5040 Duramed Drive, Cincinnati, O. (US). (72) Inventors: ZHANG, Guohua; 1 Doric Avenue, Parsip 07054 (US). PINNAMARAJU, Prasad; 243 Horiz Edison, NJ 08817 (US). ALI, Muhammad; 236 Circle, Edison, NJ 08820 (US). (74) Agents: MARSH, James, H., Jr. et al.; Shook, Hardy L.L.P., One Kansas City Place, 1200 Main Stree City, MO 64105-2118 (US). | O3.12.9 S, IN H 452 Dopany, l On Driv Miche | BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. |
| FORMED THEREFROM | CONTA | INING THREE DIFFERENT TYPES OF POLYMERS AND TABLET |
| three components of the matrix composition are (1) a pH of component, such as Eudragit® L or S; and (3) a pH independent | lepende endent | and a three component release rate controlling matrix composition. The ent gelling polymer such as an alginate component; (2) an enteric polymer gelling polymer, such as hydroxy propyl methyl cellulose or polyethylene ount of one or more of these components of the composition. |
| | | |
| | | |

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
|----|--------------------------|----|---------------------|----|-----------------------|----|-------------------------|
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Моласо | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BB | Belgium | GN | Guinea | MK | The former Yugoslav | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | | Republic of Macedonia | TR | Turkey |
| BG | Bulgaria | HU | Hungary | ML | Mali | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MN | Mongolia | UA | Ukraine |
| BR | Brazil | IL | Israel | MR | Mauritania | UG | Uganda |
| BY | Belarus | IS | Iceland | MW | Malawi | US | United States of Americ |
| CA | Canada | IT | Italy | MX | Mexico | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NE | Niger | VN | Viet Nam |
| CG | Congo | KE | Kenya | NL | Netherlands | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NO | Norway | zw | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's | NZ | New Zealand | | |
| СМ | Cameroon | | Republic of Korea | PL | Poland | | |
| CN | China | KR | Republic of Korea | PT | Portugal | | |
| CU | Cuba | KZ | Kazakstan | RO | Romania | | |
| CZ | Czech Republic . | LC | Saint Lucia | RU | Russian Federation | | |
| DE | Germany | LI | Liechtenstein | SD | Sudan | | |
| DK | Denmark | LK | Sri Lanka | SE | Sweden | | |
| EE | Estonia | LR | Liberia | SG | Singapore | | |

SUSTAINED RELEASE FORMULATION CONTAINING THREE DIFFERENT TYPES OF POLYMERS AND TABLET FORMED THEREFROM

Cross Reference to Related Application

This application is a continuation-in-part of prior copending application serial no. 08/395,565, filed March 1, 1995, the entirety of the disclosure of which is hereby specifically incorporated herein by reference.

5

10

15

25

30

Field of The Invention

The present invention is directed to formulations for preparing sustained release drug forms useful for releasing pharmaceuticals at controlled rates, generally in the stomachs and/or gastrointestinal tracts of hosts. In particular the invention relates to an improved depot drug form useful in connection with preparing sustained release tablets.

Background of the Invention

A zero order release profile for a drug from its controlled release dosage form sometimes is desirable in clinical use. The technology used to formulate zero order release dosage forms is well documented. The entrapment of a drug in a matrix is a common approach to formulate sustained release tablets with a zero order release profile.

It has been reported that depot drug formulations for controlled release of pharmaceutical drugs may be prepared using alginates alone (see U.S. patent no. 5,132,295), using combinations of alginates and polyacrylates (see U.S. patent no. 5,230,901) and using combinations of alginates and a pH independent hydrocarbon gelling agent, such as, for example, hydroxypropylmethyl cellulose (see U.S. patent no. 4,792,452). It is also known that the use of alginates alone for this purpose often presents difficulties in tableting, film coating and storage.

Adding polyacrylates to the alginate formulation overcomes these difficulties to some extent; however, tablets formed using alginates and polyacrylates often have a pH dependent dissolution profile. In a low pH environment, alginates and polyacrylates do not swell and/or dissolve properly. This leads to drug release by a diffusion mechanism through non-viscous capillaries resulting in a different dissolution rate than in a high pH environment. On the other hand, in a high pH environment, alginates swell and become soluble while polyacrylates may or may not do the same. This leads to drug release both by erosion and diffusion at a rate which is different than the low pH release rate.

5

10

15

20

25

30

In formulations which include an alginate and a pH independent gelling polymer such as, for example, hydroxypropylmethyl cellulose, such polymers hydrate at low pH levels to create a viscous gel layer for drug release. At high pH levels, however, tablets become smaller and smaller during drug release due to polymer erosion, and this leads to a reduction in surface area which may affect dissolution rate.

Summary of the Invention

A novelty of the present invention is the provision of a sustained release formulation which reduces, and perhaps eliminates these problems completely. In particular the invention provides a controlled release drug formulation which includes 1) a pH dependent gelling polymer such as, for example, an alginate material, a carboxyvinyl polymer or a sodium salt of carboxymethyl cellulose, 2) an enteric polymer, such as, for example, a cellulose acetate phthalate, a cellulose phthalate hydroxy propyl methyl ether, a polyvinyl acetate phthalate, a hydroxy propyl methyl cellulose acetate succinate, a cellulose acetate trimellitate, a shellac or a polyacrylate material such as Eudragit® L or Eudragit® S, and 3) a pH independent gelling polymer, such as, for example, a hydroxy propyl methyl cellulose, a hydroxy propyl ethyl cellulose, a hydroxy propyl cellulose, a hydroxy ethyl cellulose, a methyl cellulose, a xantham gum or a polyethylene oxide. Such a combination of ingredients facilitates manufacturing procedures and improves drug dissolution profile.

In the formulation in accordance with the present invention, the pH dependent gelling polymer provides excellent binding and controlled release characteristics thereby facilitating the manufacturing processes. During dissolution, the pH independent gelling polymer hydrates to form a gel layer to control drug release at low pH levels. At high pH levels, the enteric polymer increases erosion rate so as to maintain a constant dissolution rate regardless of tablet size. So reduction in tablet size does not reduce release rate. Thus, the formulations of the present invention provide improved drug release profiles compared with the prior art formulations described above.

Detailed Description of the Preferred Embodiments

The present invention provides sustained release tablets formulated with a mixture of a pharmaceutical composition, a pH dependent gelling polymer, an enteric polymer and a pH independent gelling polymer from which the pharmaceutical composition may

- 3 -

be released at a controlled rate. In a particularly preferred form of the invention, the formulation may be used to provide a depot drug form for controlled release of a verapamil containing pharmaceutical composition. However, the formulation is also useful in connection with a variety of other pharmaceutical or active compositions, including water soluble compositions, water sparingly soluble compositions and water insoluble compositions, and therefore the invention should not be considered as being limited by the exact composition and/or nature of the pharmaceutical or other active composition which is released under controlled conditions therefrom.

In a preferred form, the formulation of the invention may contain 1) a pH dependent gelling polymer such as an alginate component in the form of a water soluble salt of an alginic acid having a viscosity within the range of from about 60 to about 10,000 centipoises, and preferably from about 100 to about 6,000 centipoises, in a 2% by weight water solution at 25° C, as measured by a Brookfield LV viscometer; 2) an enteric polymer composition component, such as a cellulose derivative or a methacrylic acid copolymer (preferably Eudragit® L/S); and 3) a pH independent gelling polymer component, such as a cellulose derivative or polyethylene oxide, having a viscosity within the range of from about 10 to about 100,000 centipoises, and preferably from about 50 to about 15,000 centipoises in a 2% by weight water solution at 20° C.

10

15

20

25

30

The active drug content in the overall tablet formulation may preferably range from about 0.5% to about 70% by weight. The total amount of the gelling and enteric polymers in the overall tablet formulation may preferably range from about 8% to about 65% by weight. The total amount of the pH dependent gelling polymer in the overall tablet formulation may preferably range from about 2% to about 60% by weight. The total amount of the pH independent polymer in the overall tablet formulation may preferably range from about 2% to about 55% by weight. The total amount of the enteric polymer in the overall tablet formulation may preferably range from about 1% to about 55% by weight.

Suitable enteric polyacrylate materials are described, for example, in U.S. letters patent no. 5,230,901, the entirety of the disclosure of which is incorporated herein by reference. In this regard, the term polyacrylate is used herein to encompass the polyacrylates, the polymethacrylates and the copolymers of acrylic and methacrylic acid disclosed in the '901 patent. These materials are also described in, for example, Houben-Weyl, Methoden der organischen Chemie, Thieme-Verlag, Stutt, 1961. Products which

4 -

are commercially available under the name Eudragit®, for example Eudragit® L and Eudragit® S, are particularly suitable. Other suitable enteric polymers include, for example, cellulose derivatives such as cellulose acetate phthalate, cellulose phthalate hydroxy propyl methyl ether, hydroxy propyl methyl cellulose acetate succinate, cellulose acetate trimellitate, and substances such as polyvinyl acetate phthalate, shellac and polymethacrylates, etc.

Other ingredients which may be optionally included in the formulation of the invention include 1) one or more binders such as, for example, povidone (polyvinylpyrrolidone), modified starch, low viscosity hydroxypropylmethyl cellulose, etc.; 2) one or more fillers such as, for example, microcrystalline cellulose, lactose, starch, calcium sulfate, etc.; 3) one or more lubricants such as, for example, magnesium stearate, stearic acid, etc.; 4) one or more coating film formers such as, for example, Opadry (a hydroxypropylmethyl cellulose based coating system); and 5) one or more colorants such as, for example, FD&C green dyc. The binder materials may be present in an amount up to about 10% by weight of the entire formulation and the lubricant materials may be present in an amount within the range of from about 0.1% to about 5.0% by weight of the entire formulation.

In the specific examples set forth below, three specific embodiments of the invention for releasing verapamil HCl are exemplified. These embodiments have been designated A, B and C.

SPECIFIC EXAMPLES OF PREFERRED EMBODIMENTS

10

15

20

| | COMPONENT AMOUNT OF | F COMPON | ENT IN EA | CH EMBODI | MENT |
|----|---|----------|-------------|-----------|------|
| | | _A_ | _B_ | _C_ | |
| | 1. VERAPAMIL HCL | 240 MG | 120 MG | 240 MG | |
| 25 | 2. SODIUM ALGINATE | 250 MG | 80 MG | 200 MG | |
| | 3. HYDROXYPROPYLMETHYL CELLULOSE | 50 MG | 15 MG | | |
| 30 | 4. POLYETHYLENE OXIDE | | | 60 MG | |
| | 5. METHACRYLIC ACID COPOLYMER (®Eudragit L/S) | 120 MG | 30 MG | 100 MG | |
| | 6. POVIDONE | 50 MG | 25 MG | 40 MG | |

- 5 -

7. MICROCRYSTALLINE
CELLULOSE 60 MG 80 MG 80 MG
8. MAGNESIUM STEARATE 5 MG 2 MG 5 MG

5

10

15

Items 1 through 7 listed above are mixed in a mixer such as a high shear mixer granulator or planetary mixer to obtain homogeneity. The mix is then granulated in water or other suitable granulation fluids and dried in a dryer. The dried granular mass is then milled and then item 8 (a lubricant) is added during milling. The lubricated granular mass is then compressed into tablets using a tablet press. The foregoing steps are conventional steps used in the tablet forming industry.

In the preferred embodiments set forth above, the formulations of the invention have particular utility in the preparation of sustained release tablets of verapamil. However, the invention is not limited to use in connection with this drug only. Tablets containing other drugs requiring sustained release are as well within the intended scope of the invention. It is contemplated that the sustained release formulations of the invention have utility in connection with drugs which are water soluble, water sparingly soluble or water insoluble. For example, suitable pharmaceutical drugs which may require sustained release and which therefore are within the scope of the present invention are listed in U.S. patent no. 4,792,452 to Howard et al., the entirety of the disclosure of which is hereby specifically incorporated by reference.

Specific examples of formulations of the invention which may be used with drugs other than verapamil are as follows:

| | COMPONENT AMOUNT O | AMOUNT OF COMPONENT IN EACH EMBODIMENT | | | |
|----|------------------------------------|--|----------|--|--|
| | | _A_ | <u>B</u> | | |
| | 1. PENTOXYFILLINE | 400 MG | 600 MG | | |
| 25 | 2. SODIUM ALGINATE | 60 MG | 80 MG | | |
| | 3. HYDROXYPROPYLETHYL CELLULOSE | 50 MG | 120 MG | | |
| | 4. EUDRAGIT® | 20 MG | 20 MG | | |
| | 5. POVIDONE | 25 MG | 40 MG | | |
| 30 | 6. MICROCRYSTALLINE CELLULOSE | 42 MG | 55 MG | | |
| | 7. MAGNESIUM STEARATE | 3 MG | 5 MG | | |

- 6 -

| | COMPONENT | AMOUNT OF COMPONENT IN EACH EMBODIMENT | | | |
|----|-----------------------------|--|-------|-------|--|
| | | | _A_ | _B_ | |
| | 1. NIFEDIPINE | 9 | 90 MG | 60 MG | |
| 5 | 2. SODIUM CARBOX CELLULO | | 30 MG | 12 MG | |
| | 3. HYDROXY PROPY CELLULO | | 30 MG | 36 MG | |
| | 4. CELLULOSE ACE PHTHALA | | 10 MG | 12 MG | |
| 10 | 5. POVIDONE | | 16 MG | 14 MG | |
| | 6. LACTOSE | 1 | 12 MG | 74 MG | |
| | 7. MICROCRYSTALI CELLULO | | 30 MG | 30 MG | |
| | 8. MAGNESIUM STE | ARATE | 2 MG | 2 MG | |

Tablets based on the formulations described above incorporating pentoxyfilline and nifedipine may be prepared using procedures which are essentially the same as the procedure described previously for preparing tablets based on formulations incorporating verapamil.

WE CLAIM:

5

- 1. A tablet for sustained release of a drug comprising an effective amount of a drug to be released at a controlled rate and a sustained release formulation, said sustained release formulation comprising at least three different types polymers including a pH dependent gelling polymer, a pH independent gelling polymer and an enteric polymer.
- 2. A tablet as set forth in claim 1, wherein said pH dependent gelling polymer comprises one or more of an alginate, a carboxyvinyl polymer and a salt of a carboxymethyl cellulose.
- 3. A tablet as set forth in claim 1, wherein said pH independent gelling polymer comprises one or more of a hydroxy propyl methyl cellulose, a hydroxy propyl ethyl cellulose, a hydroxy propyl cellulose, a hydroxy ethyl cellulose, a methyl cellulose, a xantham gum or a polyethylene oxide.
- 4. A tablet as set forth in claim 1, wherein said enteric polymer comprises one or more of a polyacrylate material, a cellulose acetate phthalate, a cellulose phthalate hydroxy propyl methyl ether, a polyvinyl acetate phthalate, a hydroxy propyl methyl cellulose acetate succinate, a cellulose acetate trimellitate, or a shellac.
 - 5. A tablet as set forth in claim 4, wherein said polyacrylate material comprises a methacrylic acid copolymer.
- 6. A tablet as set forth in claim 5, wherein said methacrylic acid copolymer is Eudragit® L.
 - 7. A tablet as set forth in claim 5, wherein said methacrylic acid copolymer is Eudragit® S.
- 8. A tablet as set forth in claim 1, wherein said drug comprises one or more of a water soluble, water sparingly soluble or water insoluble active material.

- 8 -

- 9. A tablet as set forth in claim 1, wherein the content of said drug in said formulation ranges from about 0.5% to about 70% by weight thereof.
- 10. A tablet as set forth in claim 1, wherein the total content of said gelling and enteric polymers in said formulation ranges from about 8% to about 65% by weight thereof.

5

- 11. A tablet as set forth in claim 1, wherein the content of said pH dependent gelling polymer in said formulation ranges from about 2% to about 60% by weight thereof.
- 12. A tablet as set forth in claim 1, wherein the content of said pH independent gelling polymer in said formulation ranges from about 2% to about 55% by weight thereof.
 - 13. A tablet as set forth in claim 1, wherein the content of said enteric polymer in said formulation ranges from about 1% to about 55% by weight thereof.
- 14. A tablet for sustained release of an active material comprising a sustained release formulation, said sustained release formulation comprising at least three different types polymers including a pH dependent gelling polymer, a pH independent gelling polymer and an enteric polymer.
- 15. A formulation for sustained release of an active material, said sustained release formulation comprising at least three different types polymers including a pH
 dependent gelling polymer, a pH independent gelling polymer and an enteric polymer.

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/25630

| A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61K 9/22 US CL :424/468 | | | | | | |
|--|---|--|--|--|--|--|
| According to International Patent Classification (IPC) or to both national classification and IPC | | | | | | |
| B. FIEL | DS SEARCHED | | | | | |
| | ocumentation searched (classification system followed | by classification symbols) | | | | |
| U.S. : 4 | 424/468 | | | | | |
| Documentat | Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched | | | | | |
| Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) | | | | | | |
| C. DOC | UMENTS CONSIDERED TO BE RELEVANT | | | | | |
| Category* | Citation of document, with indication, where ap | propriate, of the relevant passages | Relevant to claim No. | | | |
| Y | US 4,708,874 A (DE HAAN et al.) 241, 8, 13, 16 and 25-28. | November 1987, see claims | 1-15 | | | |
| | | • | | | | |
| | | | | | | |
| | | | | | | |
| | | : | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Furth | er documents are listed in the continuation of Box C | . See patent family annex. | | | | |
| • | ecial categories of cited documents: | "T" later document published after the integration date and not in conflict with the appl | lication but cited to understand | | | |
| to | cument defining the general state of the art which is not considered be of particular relevance ther document published on or after the international filing date | *X* document of particular relevance; th | | | | |
| ·L· do | cument which may throw doubts on priority claim(s) or which is ed to establish the publication date of another citation or other | considered novel or cannot be conside when the document is taken alone | red to involve an inventive step | | | |
| .O. qo | ecial reason (as specified) cument referring to an oral disclosure, use, exhibition or other sams | "Y" document of particular relevance; the considered to involve an inventive combined with one or more other such that is the control of the the control o | step when the document is h documents, such combination | | | |
| *P* do | cument published prior to the international filing date but later than priority date claimed | being obvious to a person skilled in to *&* document member of the same patent | | | | |
| | actual completion of the international search | Date of mailing of the international sea | arch report | | | |
| 22 FEBRUARY 1999 02 MAR 1999 | | | | | | |
| Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer | | | | | | |
| Box PCT | | | | | | |
| - | o. (703) 305-3230 | Telephone No. (703) 308-1235 | _ | | | |